DOLLE®



dolle.com/berlin

BERLIN
DIMENSION

SOGEM®
PART OF DOLLE GROUP

© DOLLE A/S | In the interest of technical progress we reserve the right to make changes | June 2024









Video: www.dolle.com/berlin

NO. OF TREADS PAGE

10 treads 6
11 treads 7
12 treads 8
13 treads 9

STAIRCASE TERMINOLOGY

	C1	E	G	H	M
	Staircase width w. 1 banister	Headroom	Going (of tread)	Height floor-to-floor	Upper floor opening length - min.
	Escalier à 1 rampe	Echappée	Giron	Hauteur sol-sol	Longueur de trémie min.
	Trappe bredde m. 1 gelænder	Frihøjde	Grund	Etagehøjde	Hulmål længde min.
	Trappbredd med 1 räcke	Frihöjd	Grund	Golv till golv höjd	Hålmått längd min.
	Treppenbreite inkl. 1 Geländer	Kopffreiheit	Auftrittsbreite	Geschosshöhe	Öffnungsgröße länge min.

	N	O	P	R	R1
	Upper floor opening width - min.	Clear width	Pitch	Total going length	Total going width
	Largeur de trémie min.	Largeur de passage	Pente de l'escalier	Recul total - longueur	Recul total - largeur
	Hulmål bredde min.	Fri bredde	Stejlhed/hældning	Udladning længde	Udladning bredde
	Hålmått bredd min.	Fri bredd	Hällning	Trapplängd	Trappbredd
	Öffnungsgröße breite min.	Durchgangsmaß	Winkel	Ausladung länge	Ausladung breite

	S	T	V	W	X
	Rise height	Number of treads	Tread depth	Tread width	Tread thickness
	Hauteur de marche	Nombre de marches	Profondeur de marche	Largeur de marche	Epaisseur de marche
	Stigningshøjde	Antal trin	Trin dybde	Trin bredde	Trin tykkelse
	Steghöjd	Antal steg	Stegdjup	Stegbredd	Stegtjocklek
	Steigungshöhe	Anzahl Stufen	Stufen tiefe	Stufen breite	Stufen Stärke

	Z
	Deck thickness
	Epaisseur de dalle
	Dæk tykkelse
	Bjälklagstjocklek
	Deckenstärke

DIMENSIONS


M
N
H
S
R
C1
R1


C1 64 cm
Design
Shape 6
O 58 cm / 59 cm
1 - 2 cm
Min. 5 cm


V
27.4 cm
G
13.4 cm
S
18.5 - 22.5 cm
3.8 cm
X


W
64 cm
V
27.4 cm
X
3.8 cm


Ø 4 cm
7.1 - 8.3 cm
21.6 cm
93.6 - 95.5 cm
Ø 1 cm
Design

DIMENSIONS


M
H (13T) 259 - 315 cm
(12T) 240.5 - 292.5 cm
(11T) 222 - 270 cm
(10T) 203.5 - 247.5 cm
(9T) 185 - 225 cm
Z
E
P
55 - 60°
R
(13T) 181 cm
(12T) 168 cm
(11T) 154 cm
(10T) 141 cm
(9T) 129 cm

BERLIN **10 TREADS**

H 203.5 - 247.5 cm

Staircase dimensions incl. handrail on 1 side

Floor opening size is defined based on 2 cm space to wall, 5 cm space for hand, 19 cm rise height, 25 cm deck thickness, 200 cm headspace.



45° (9 × 5°)



90° (4 × 22.5°)



90° (4 × 22.5°)



BERLIN **11 TREADS**

H 222 - 270 cm

Staircase dimensions incl. handrail on 1 side

Floor opening size is defined based on 2 cm space to wall, 5 cm space for hand, 19 cm rise height, 25 cm deck thickness, 200 cm headspace.



50° (10 × 5°)



90° (4 × 22.5°)



90° (4 × 22.5°)



BERLIN **12 TREADS**

H 240.5 - 292.5 cm

— Staircase dimensions incl. handrail on 1 side

- - Floor opening size is defined based on 2 cm space to wall, 5 cm space for hand, 19 cm rise height, 25 cm deck thickness, 200 cm headspace.



55° (11 × 5°)



90° (4 × 22.5°)



90° (4 × 22.5°)



BERLIN **13 TREADS**

H 259 - 315 cm

Staircase dimensions incl. handrail on 1 side

Floor opening size is defined based on 2 cm space to wall, 5 cm space for hand, 19 cm rise height, 25 cm deck thickness, 200 cm headspace.



60° (12 × 5°)



90° (4 × 22.5°)



90° (4 × 22.5°)